

## ARRANGEMENT OR RULES

### CHAPTER- I PRELIMINARY

Rules:

- 1.01 Short title and commencements
- 1.02 Definitions
- 1.03 Classification of stations

### CHAPTER – II RULES APPLYING TO RAILWAY SERVANTS GENERALLY

- 2.01 Supply of copies of rules
- 2.02 Upkeep of the copy of rules
- 2.03 Knowledge of rules
- 2.04 Assistance in observance of rules
- 2.05 Preventions of trespass, damage or loss
- 2.06 Obedience to rules and orders
- 2.07 Attendance for duty
- 2.08 Absence from duty
- 2.09 Taking alcoholic drink, sedative, narcotic stimulant drug or preparation
- 2.10 Conduct of railway servants
- 2.11 Duty for securing safety

### Chapter – III Signals

#### **A. General Provisions**

- 3.01 General use of signals
- 3.02 Kinds of signals
- 3.03 Use of right signals by day
- 3.04 Placing of signals and signal arms painting of signals arms

#### **B. Description of Fixed Signals**

- 3.05 Use of fixed signals
- 3.06 Description of Warner signals and their indications
- 3.07 Description of Distant signals and their indications
- 3.08 Description of Stop signals and their indications
- 3.09 Kinds of fixed Stop signals for approaching trains
- 3.10 Kinds of fixed Stop signals for departing trains
- 3.11 Intermediate Block Stop signal
- 3.12 Kinds of fixed Stop signals in Automatic Block territories
- 3.13 Calling-on signals
- 3.14 Shunt- signals
- 3.15 Co-action signals
- 3.16 Repeating signals
- 3.17 Distinguishing markers and signs for signals
- 3.18 Signals out of use
- 3.19 Placing of Stop signals at diverting junctions

- 3.20 Placing of Stop signals at converging junctions
- 3.21 Signals on bracket post or signals bridge or gantry
- 3.22 Placing of more than one signal on the same post
- 3.23 Electric repeater
- 3.24 Back-lights

### **C. Equipment of Signals**

- 3.25 Obligation to provide fixed signals at stations
- 3.26 Commissioning of fixed signals
- 3.27 Minimum equipment of fixed signals at stations provided with manually operated multiple-aspect signalling
- 3.28 Minimum equipment of fixed signals at stations provided with modified lower quadrant signalling
- 3.29 Minimum equipment of fixed signals at other stations provided with two aspect signalling
- 3.30 Additional fixed signals at stations generally
- 3.31 Signals at class 'D' stations
- 3.32 Provision of an Advanced Starter, Shunting Limit Board or Block Section limit Board
- 3.33 Exception to Rules 3.27, 3.28, 3.29 and 3.32
- 3.34 Fixed signals at level crossings
- 3.35 Protection and working of points of outlying sidings

### **D. Working of Signals and Points**

- 3.36 Fixed signals generally
- 3.37 Normal aspect of signals
- 3.38 Points affecting movement of train
- 3.39 Locking of facing points
- 3.40 Conditions for taking 'off' Home signal
- 3.41 Conditions for taking 'off' Outer signal
- 3.42 Conditions for taking 'off' last Stop signal or Intermediate Block Stop signal
- 3.43 Conditions for taking 'off' Warner signal
- 3.44 Conditions for taking 'off' gate Stop signal
- 3.45 Conditions for taking 'off' Calling-on signal
- 3.46 Use of fixed signals for shunting
- 3.47 Taking 'off' signals for more than one train at a time
- 3.48 Stoppage of trains out of course at stations provided with two aspect signalling
- 3.49 Care and lighting of signal lamps
- 3.50 Traps, slip sidings and catch sidings
- 3.51 Points

### **E. Hand Signals**

- 3.52 Exhibition of hand signals
- 3.53 Stop hand signal
- 3.54 Proceed hand signal

- 3.55 Proceed with caution hand signal
- 3.56 Hand signals for shunting
- 3.57 Banner flags
- 3.58 Knowledge and possession of hand signals

**F. Detonating Signals**

- 3.59 Description of detonating signals
- 3.60 Method of using detonators
- 3.61 Placing of detonators in thick, foggy or tempestuous weather impairing visibility
- 3.62 Placing of detonators in case of obstruction
- 3.63 Replacing of detonators on the line
- 3.64 Knowledge and possession of detonators

**G. Signal to warn incoming trains of danger ahead**

- 3.65 Description of warning signals
- 3.66 Use of warning signals
- 3.67 Knowledge and possession of warning signals

**H. Defective fixed Signals and Points**

- 3.68 Duties of Station Master generally when a signal is defective
- 3.69 Duties of Station Master when an approach Stop signal is defective
- 3.70 Duties of Station Master when a departure Stop signal is defective
- 3.71 Warner or Distant signals defective in the 'off' position
- 3.72 Warner not to be used when a Stop signal is defective
- 3.73 Passing of gate Stop signal at 'on'
- 3.74 Absence of a fixed signal or a signal without a light
- 3.75 Passing of Intermediate Block Stop signal at 'on'
- 3.76 Intimation to officials when defects remedied
- 3.77 Defective or damaged points
- 3.78 Duties of Engine crew in respect of signals
- 3.79 Duties of Loco Pilot in respect of Calling – on signal
- 3.80 Duties of Loco Pilot when an approach Stop signal is 'on' or defective
- 3.81 Duties of Loco Pilot when a departure Stop signal is 'on' or defective
- 3.82 Permission before entering on or crossing a running line
- 3.83 Assistance of the engine crew regarding signals
- 3.84 Duties of Loco Pilot as to signals when two or more engines are attached to train
- 3.85 Reporting of defects in signals

**CHAPTER – IV  
WORKING OF TRAINS GENERALLY**

**A. Timing and Running of Trains**

- 4.01 Standard time
- 4.02 Adherence to advertised time

- 4.03 Setting watch
- 4.04 Time of attendance for train crew
- 4.05 Proper running line
- 4.06 Direction of running
- 4.07 Supply of Working Time Table and Schedule of Standard Dimensions

**B. Speed of Trains**

- 4.08 Limits of speed generally
- 4.09 Caution order
- 4.10 Limits of speed over facing points
- 4.11 Limits of speed while running through stations
- 4.12 Engine pushing
- 4.13 Limits of speed with engine tender foremost

**C. Equipment of Trains and Train Crew**

- 4.14 Head light, marker light and speedometer
- 4.15 Tails and side lights
- 4.16 Tail board or tail lamp
- 4.17 Responsibility of Station Master regarding tail board or tail lamp of passing trains
- 4.18 Means of communication
- 4.19 Guard's and Loco pilot's equipment
- 4.20 Manning of engine in motion
- 4.21 Driving an electric train
- 4.22 Riding on engine or tender
- 4.23 Brake-vans
- 4.24 Position of brake-van on train
- 4.25 Guards
- 4.26 Couplings

**D. Vehicles and Crane**

- 4.27 Cranes
- 4.28 Loading of vehicles
- 4.29 Damaged or defective vehicles

**E. Precaution before Starting Train**

- 4.30 Loco pilot and Guard to examine notices before starting
- 4.31 Examination of trains before starting
- 4.32 Examination of trains by Loco pilot
- 4.33 Examination of single and multiple units by Loco pilot
- 4.34 Duties of Guard when taking over charge of a train
- 4.35 Starting of trains
- 4.36 Guard to be in charge of train
- 4.37 Subordination of Guards in station limits
- 4.38 Assistant Loco Pilot to obey Loco Pilots
- 4.39 Loco Pilot to obey certain orders

**F. Duties of Staff Working Trains during Journey**

- 4.40 Loco pilot and Assistant Loco pilot to keep a good look
- 4.41 Loco pilot and Assistant Loco pilot to look back
- 4.42 Exchange of signals between Loco pilot, Guard and station staff
- 4.43 Guard to keep a good look-out
- 4.44 Train held up at first Stop signal
- 4.45 Attracting attention of Loco pilot
- 4.46 Assistance from Guard's hand brake
- 4.47 Application of Guard's hand brake
- 4.48 Permission of Guard to detach engine from train
- 4.49 Starting and stopping of train
- 4.50 Sounding of engine whistle
- 4.51 Bell signals between Loco pilot and Guard
- 4.52 Throwing out water, fire or cinders
- 4.53 Hose or water crane
- 4.54 Passengers

#### **G. Duties of Staff on Arrival**

- 4.55 Shunting off power
- 4.56 Guards to see that train is stopped clear of fouling marks
- 4.57 Detaching engine
- 4.58 Loco pilot to see that train is stopped clear of fouling marks
- 4.59 Moving of train carrying passengers after it has been stopped at station
- 4.60 Guard not to leave engine when on duty
- 4.61 Loco pilot not to leave engine when on duty

#### **H. Working of Material Trains**

- 4.62 Working of a material train in block section
- 4.63 Workers on material train
- 4.64 Protection of material train when stabled
- 4.65 Working of track maintenance machines

#### **I. Private Engines and Vehicles**

- 4.66 Private engines and vehicles

### **CHAPTER – V CONTROL AND WORKING OF STATIONS**

- 5.01 Responsibility of the Station Master for working
- 5.02 Supply of copies of rules and distribution or exhibition of other documents
- 5.03 Obedience to orders and keeping of books returns
- 5.04 Signal cabins
- 5.05 Report of neglect of duty
- 5.06 Station Working Rules
- 5.07 Forms
- 5.08 Access to and operation of equipment
- 5.09 Reception of train on an obstructed line
- 5.10 Reception of a train on a non-signalized line
- 5.11 Departure of train from a non –signalized line
- 5.12 Departure of a train from a line provided with a common departure signal

- 5.13 Control of shunting
- 5.14 Responsibility for shunting
- 5.15 Shunting at stations under Centralized Traffic Control
- 5.16 Shunting during reception of trains
- 5.17 Shunting near level crossing
- 5.18 Drawing of a train to an advanced position
- 5.19 Obstruction of running line
- 5.20 Shunting on gradients
- 5.21 Loose shunting
- 5.22 Leaving vehicles in sidings outside station limits
- 5.23 Securing of vehicles at station

## **CHAPTER – VI ACCIDENTS AND UNUSUAL OCCURRENCES**

- 6.01 Accident or obstruction
- 6.02 Working in case of accident or failure of communications
- 6.03 Protection of trains stopped between stations
- 6.04 Trains unusually delayed
- 6.05 Sending advice of accident or breakdown
- 6.06 Train in block section without authority to proceed
- 6.07 Report of condition likely to affect running of trains to Controller or Centralized Traffic Control Operator
- 6.08 Train parting
- 6.09 Portion of train left in a block section
- 6.10 Fire
- 6.11 Vehicles escaping from station

## **CHAPTER – VII SYSTEMS OF WORKING**

- 7.01 Systems of working
- 7.02 Applicability of General Rules referring to the working of signals and trains

## **CHAPTER – VIII THE ABSOLUTE BLOCK SYSTEM**

### **A. Essentials**

- 8.01 Essentials of the Absolute Block System

### **B. Conditions for granting Line Clear**

- 8.02 Conditions for granting Line Clear at a class 'A' station
- 8.03 Conditions for granting Line Clear at a class 'B' station
- 8.04 Conditions for granting Line Clear at a class 'C' station

### **C. Obstruction – Double Line**

- 8.05 Obstruction on double line at a block station when a train is approaching
- 8.06 Obstruction on double line in the block section

**D. Obstruction – Single Line D.I. Class ‘A’ Station**

- 8.07 Obstruction on single line at a class ‘A’ station when a train is approaching
- 8.08 Obstructing the block section at a class ‘A’ station on single line

**E. II. Class ‘B’ Station**

- 8.09 Obstruction in the face of approaching train at a class ‘B’ station on single line
- 8.10 Obstruction within station section at a class ‘B’ station on single line
- 8.11 Obstruction outside station section at a class ‘B’ single line station equipped with two – aspect signals
- 8.12 Obstruction outside station section at a class ‘B’ single line station equipped with manually operated multiple-aspect signals
- 8.13 Obstruction outside the first Stop signal at a class ‘B’ station on single line

**F. General Provisions**

- 8.14 Block back or Block forward
- 8.15 Authority for shunting or obstruction in block section
- 8.16 Illustrative diagrams

**CHAPTER – IX  
THE AUTOMATIC BLOCK SYSTEM**

**A. Rules applicable to Double Line**

- 9.01 Essentials of the Automatic Block System on double line
- 9.02 Duties of Loco pilot and Guard when an Automatic Stop signal on double line is to be passed at ‘on’

**B. Rules applicable to Double Line**

- 9.03 Essentials of the Automatic Block System on single line
- 9.04 Minimum equipment of fixed signals in Automatic Block territory on single line
- 9.05 Additional fixed signals in Automatic Block territory on single line
- 9.06 Conditions for taking ‘off’ Manual Stop signals in Automatic Block territory on single line
- 9.07 Duties of Loco pilot and Guard when an Automatic Stop signal on single line is to be passed at ‘on’
- 9.08 Person in charge of working trains on Automatic Block System on single line

**C. Rules applicable to both Double and Single Lines**

- 9.09 Working of trains on Centralized Traffic Control territory
- 9.10 Protection of a train stopped on an Automatic Block signalling section
- 9.11 Loco pilot to report failures

- 9.12 Procedure during failure of Automatic signalling
- 9.13 Movement of trains against the direction of traffic on the Automatic Block System
- 9.14 Procedure when Semi-Automatic Stop signal is 'on'
- 9.15 Passing a gate Stop signal at 'on' in Automatic signalling territory
- 9.16 Illustrative diagrams

## **CHAPTER – X THE FOLLOWING TRAINS SYSTEM**

- 10.01 Essentials of the Following Trains System
- 10.02 Report to the Commissioner of Railway Safety
- 10.03 Conditions to be observed in working trains on the Following Trains System
- 10.04 Delivery of authority to proceed to Loco pilot and Guard on the Following Trains System
- 10.05 Authority to proceed on the Following Trains System
- 10.06 Responsibility as to proper preparation of authority to proceed on the Following Trains System
- 10.07 Obstruction in the face of approaching train or trains on the Following Trains System
- 10.08 Cessation of working on the Following Trains System
- 10.09 Protection of trains on the Following Trains System

## **CHAPTER – IX THE PILOT GUARD SYSTEM**

- 11.01 Essentials of the Pilot Guard System
- 11.02 Conditions to be observed for following trains on the Pilot Guard System
- 11.03 Pilot Guard's dress or badge
- 11.04 Pilot Guard to accompany train or give authority to proceed
- 11.05 Pilot Guard's Tickets
- 11.06 Protection of trains on the Pilot Guard System

## **CHAPTER – XII THE TRAIN-STAFF AND TICKET SYSTEM**

- 12.01 Essentials of the Train –staff and Ticket System
- 12.02 System where applicable
- 12.03 Conditions to be observed for following trains on the Train-staff and Ticket System
- 12.04 Loco pilot to have Train-staff Ticket or Train –staff Ticket
- 12.05 Train-staff or Train-staff Ticket: by whom to be delivered Loco pilot
- 12.06 Train-staff or Train-staff Ticket : when to be delivered Loco pilot
- 12.07 Train-staff to be kept on engine
- 12.08 Trains not to be started until Train-staff returned
- 12.09 Train-staff or Train-staff Ticket to be given up and Ticket to be cancelled on arrival of train
- 12.10 Procedure when engine is disabled on the Train-staff and Ticket System
- 12.11 Train-staff Tickets: how kept
- 12.12 Train-staff : how kept



- 12.13 Distinguishing marks on Train-staff Tickets and boxes
- 12.14 Form of Train-staff Tickets issued
- 12.15 Record of Train-staff Tickets issued
- 12.16 Obstruction outside the Home signal
- 12.17 Protection of trains on the Train-staff and Ticket System

### **CHAPTER – XIII THE ONE TRAIN ONLY SYSTEM**

- 13.01 Use of the One Train Only System
- 13.02 Essentials of the One Train Only System
- 13.03 Authority to enter the section
- 13.04 Procedure in case of accident or disablement on the One Train Only System

### **CHAPTER – XIV BLOCK WORKING**

#### **A. General Provisions**

- 14.01 Means of granting or obtaining Line Clear
- 14.02 Provision of instruments
- 14.03 Consent required before interfacing with block working equipment

#### **B. Block Stations at which Electrical Block Instruments, Track Circuits or Axle Counters are provided**

- 14.04 Certificate of competency
- 14.05 Bell code
- 14.06 Acknowledgement of signals
- 14.07 Train Signal Register
- 14.08 Authority to proceed
- 14.09 Loco pilot to examine authority to proceed
- 14.10 Conditions for closing the block section
- 14.11 Responsibility of Station Master as to authority to proceed
- 14.12 Special responsibility as to electrical token instruments and to the token
- 14.13 Failure of electric block instruments or track circuits or axle counters
- 14.14 Closing of Intermediate Block Post

#### **C. Block Stations at which Electrical Block Instruments are not provided**

- 14.15 Transmission of signals
- 14.16 Train Signal Register
- 14.17 Forms for messages and written authority to proceed
- 14.18 Distinction of messages
- 14.19 Writing and signing of messages and written authorities to proceed
- 14.20 Completion of messages
- 14.21 Preservation of messages and written authorities to proceed

- 14.22 Cancellation of Line Clear
- 14.23 Loco pilot to have authority to proceed
- 14.24 Authority to proceed : when to be given to Loco pilot

**D. Line Clear Tickets**

- 14.25 Line Clear Tickets

**E. Use and Operation of Block Working Equipment**

- 14.26 Use and Operation of block working equipment

**CHAPTER – XV  
PERMANENT WAY AND WORKS**

**A. Railway Servants Employed on the Permanent Way and Works**

- 15.01 Conditions of Permanent Way and Works
- 15.02 Maintenance of line
- 15.03 Keeping the material
- 15.04 Inspection of Permanent Way and Works
- 15.05 Patrolling of lines
- 15.06 Work involving danger to train or traffic
- 15.07 Work in thick, foggy or tempestuous weather impairing visibility
- 15.08 Precautions before commencing operation which would obstruct the line
- 15.09 Showing of signals
- 15.10 Assistance in protection of trains
- 15.11 Gang mate in each gang
- 15.12 Knowledge of signals and equipment of gang
- 15.13 Inspection of gauges, signals, tools and implements
- 15.14 Responsibility of Gang mate as to safety of line
- 15.15 Blasting
- 15.16 Putting in or removing points or crossings
- 15.17 Duties of Gang mate and Gang man when apprehending danger

**A. The Working of Lorries, Trolleys and Motor Trolleys**

- 15.18 Distinction between trolley, lorry motor trolley
- 15.19 Red flag or light to be shown
- 15.20 Equipment of trolley, lorry or motor trolley
- 15.21 Efficient brakes
- 15.22 Qualified person to be charge of lorry or trolley when on the line
- 15.23 Attachment to train prohibited
- 15.24 Time of running
- 15.25 Motor trolley
- 15.26 Protection of trolley on the line
- 15.27 Protection of lorry on the line
- 15.28 Lorries and trolleys out of use

**CHAPTER – XVI  
LEVEL CROSSING**

- 16.01 Knowledge of signals
- 16.02 Supply and care of equipment
- 16.03 Road traffic
- 16.04 Gateman to observe passing trains
- 16.05 Channel for flange of wheels
- 16.06 Defects at level crossings
- 16.07 Obstructions at level crossing
- 16.08 Parting of a train
- 16.09 Trespassing
- 16.10 Transfer of charge of gate
- 16.11 Height gauges

**Chapter- XVII  
Working of trains on electrified sections of railways**

- 17.01 Applicability of General Rules
- 17.02 Special definitions applicable to this chapter
- 17.03 Inspection of electrical way and works
- 17.04 Permit-on-work on electrical equipment
- 17.05 Working to staff and public
- 17.06 Alterations to track
- 17.07 Tripping of circuit breaker if locomotives and electrical multiple units at neutral sections
- 17.08 Tower wagon
- 17.09 Additional rules for electrified sections

**Chapter- XVIII  
Miscellaneous**

- 18.01 Repeal and Saving