

STORES DEPARTMENTSUPPLY OF STORES ITEMS**TENDER NOTICE No : E-14/2014****Date:** 10-09-2014

SECR has implemented e-procurement system. The following tenders will be dealt through E-procurement only. No manual/postal offers will be entertained. These tenders with full details can be accessed under the link www.ireps.gov.in. Cost of Tender document and EMD through DD in favour of FA&CAO/SECR/Bilaspur payable at Bilaspur can be sent by post duly indicating the relevant tender no., tender opening date & tender type overleaf and super scribing "Cost of Tender Document and EMD cost for E-procurement Tender No. ., due on the envelop to the office of the Controller of stores, SECR, G.M. Office Building, GF, Bilaspur - 495-004 before the closing date and time. Tender closing time is 10.30 hrs.

Sr.No	Tender No	Tender Opening Date	Description	QTY	Tender Cost	Emd Amount
1	05141115	21-OCT-14	(PL_NO:56118533) Underground Railway Signalling Cable unscreened PVC insulated, PVC inner sheathed, armoured and PVC outer jacket with high conductivity annealed copper conductor, size: 6 Core x 1.5 sq. mm. confirming to Specification No. IRS:S-63/2007 with amendment-3 or latest.	17000MTR/22	500	38000
2	05147069	21-OCT-14	(PL_NO:5215N) Automatic Printer Switch (APS) as per specification attached.	75NOS./01	500	22200
			(PL_NO:5215N1) Automatic Printer Switch (APS) as per specification attached.	60NOS./01		
3	06141733	21-OCT-14	(PL_NO:79046654) Cloth Polyester Cotton Blend Shirting for uniform to Specification No.IS:15852-2009, excluding selvedge, Shade:Dark Grey, Width-90/91 cms, except Soil Release Efficiency Test and Limited Flame Spread Index Test. Construction particulars:- i. Approximate Count of Warp Yarn-50s-12 Tex, ii.Approximate Count of Weft yarn 50s-12, Tex. iii. Threads per Decimeter warp-440, iv.Thread per decimeter-weft-360 . v. Mass 102 gm/sq. mtr., vi. Fibre	31356MTR/22	500	47600

Sr.No	Tender No	Tender Opening Date	Description	QTY	Tender Cost	Emd Amount
			Composition-Polyester-67 percent, vii. Fibre Composition-Cotton-33 percent, viii.Weave plain.			
			(PL_NO:79046654) Cloth Polyester Cotton Blend Shirting for uniform to Specification No.IS:15852-2009, excluding selvedge, Shade:Dark Grey, Width-90/91 cms, except Soil Release Efficiency Test and Limited Flame Spread Index Test. Construction particulars:- i. Approximate Count of Warp Yarn-50s-12 Tex, ii.Approximate Count of Weft yarn 50s-12, Tex. iii. Threads per Decimeter warp-440, iv.Thread per decimeter-weft-360 . v. Mass 102 gm/sq. mtr., vi. Fibre Composition-Polyester-67 percent, vii. Fibre Composition-Cotton-33 percent, viii.Weave plain.	16500MTR/22		
4	06141786	21-OCT-14	(PL_NO:79046460) Cloth Polyester Cotton Blend Shirting for uniform to Specification No.IS:15852-2009, excluding selvedge, Shade:Orange, Width-90/91 cms, except Soil Release Efficiency Test and Limited Flame Spread Index Test. Construction particulars:- i.Approx Count of Warp Yarn-50s-12 Tex, ii .Approx Count of Weft yarn 50s-12, Tex.iii. Threads per decemeter warp-440, iv.Thread per decimeter-weft-360 v.Mass 102 gm/sqm, vi.Fibre Composition-Polyester-67 percent, vii.Fibre Composition-Cotton-33 percent, vii.Weave plain.	34200MTR/22	1500	64100
			(PL_NO:79046460) Cloth Polyester Cotton Blend Shirting for uniform to Specification No.IS:15852-2009, excluding selvedge, Shade:Orange, Width-90/91 cms, except Soil Release Efficiency Test and Limited Flame Spread Index Test. Construction particulars:- i.Approx Count of Warp Yarn-50s-12 Tex, ii .Approx Count of Weft yarn 50s-12, Tex.iii. Threads per decemeter warp-440, iv.Thread per decimeter-weft-360 v.Mass 102 gm/sqm, vi.Fibre Composition-Polyester-67 percent, vii.Fibre Composition-Cotton-33 percent, vii.Weave plain.	28728MTR/22		
5	02141223	22-OCT-14	(PL_NO:23884307) Pantograph for freight locos to specification No. - RDSO/2008/EL/SPEC/0066 Rev 'o' dated 20- 06-08 and Amend 1 dated 31-12-08.	15NOS./01	500	30000

Sr.No	Tender No	Tender Opening Date	Description	QTY	Tender Cost	Emd Amount
6	05147123	22-OCT-14	(PL_NO:5215N) Dumb Terminal with Key Board as per specification attached.	70NOS./01	500	36800
7	05131199	24-OCT-14	(PL_NO:50830041) 24 Fibre Armoured Optical Fibre Cable as per RDSO Specification No.: IRS: TC: 55-2006 Rev.1 with Amendment No. 2 or latest.	18KM/23	500	15200
8	07147159	24-OCT-14	(PL_NO:9122N) Corrosion Resistant Stainless Steel Plates (4 mm X 1250 mm X 5000 mm) for freight stock to Indian Railway Standard Specification No. IRS: M 44-97	600MT/15	2500	500000
9	03142372	27-OCT-14	(PL_NO:38123046) SPINDLE FOR HAND BRAKE FOR BOXN & BCN WAGON AS PER RDSO DRG.NO.WD/BG-6337, ALT.NIL:1 NO. ALONG WITH SLEEVE AS PER RDSO DRG.NO.WD/BG-6310, ALT.3:1 NO. IN LOOSE CONDITION.with IS Spec. No. IS: 2062:2011.Grade-E-250A.	3247SET/03	500	34800
10	04141149	27-OCT-14	(PL_NO:45177776) LOW MAINTENANCE LEAD ACID BATTERIES 75 AH IN PP-CP CONTAINER FOR ELECTRIC LOCOMOTIVES CONFIRMING TO RDSO SPECN. NO.PE/EMU/SPEC/0014-2000 REV(0) WITH AMENDMENT 1&2.(RDSO).	340NOS./01	1500	83100
11	03141435	28-OCT-14	(PL_NO:38163421) Brake cylinder 355mm to RDSO's Drg.No.WD-92051-S-06,Item No.-1 to 17,Alt.No.-5(Five) . And RDSO's Specn.No.02-ABR-02 of OCT. '03 with amendment No.3(three) of April.-2010.	14NOS./01	500	41900
			(PL_NO:38163421) Brake cylinder 355mm to RDSO's Drg.No.WD-92051-S-06,Item No.-1 to 17,Alt.No.-5(Five) . And RDSO's Specn.No.02-ABR-02 of OCT. '03 with amendment No.3(three) of April.-2010.	341NOS./01		

Sr.No	Tender No	Tender Opening Date	Description	QTY	Tender Cost	Emd Amount
12	03141469	28-OCT-14	(PL_NO:38452352) DOOR CHECK SPRING AS PER IRS Drg. No. W/DW-305D Alt.5. Matl.& Specn. As per Drg. IS:3885 PART-I) : 1992,re-affirmed 2001.	2412NOS./01	500	39700
			(PL_NO:38452352) DOOR CHECK SPRING AS PER IRS Drg. No. W/DW-305D Alt.5. Matl.& Specn. As per Drg. IS:3885 PART-I) : 1992,re-affirmed 2001.	3962NOS./01		
13	03141010	29-OCT-14	(PL_NO:30011516) Hytrel Upper Washer material for primary suspension of Axle box to RDSO Drg. No.CG-K-4058, Alt.1 and RDSO specification CK-409(Rev.2) Dec.08. with Amendment slip No.3 of Sep. 2010. Material & Specification as per drawing.	576NOS./01	500	31900
			(PL_NO:30011516) Hytrel Upper Washer material for primary suspension of Axle box to RDSO Drg. No.CG-K-4058, Alt.1 and RDSO specification CK-409(Rev.2) Dec.08. with Amendment slip No.3 of Sep. 2010. Material & Specification as per drawing.	1110NOS./01		
			(PL_NO:30011516) Hytrel Upper Washer material for primary suspension of Axle box to RDSO Drg. No.CG-K-4058, Alt.1 and RDSO specification CK-409(Rev.2) Dec.08. with Amendment slip No.3 of Sep. 2010. Material & Specification as per drawing.	637NOS./01		
14	03141088	29-OCT-14	(PL_NO:30557124) Glass Shutter Assembly for Lavatory window FRP TO ICF DRG. NO.ICF/SK 5-5-020, Alt-d, RDSO Specification No. RDSO/2007/CG-02 (Rev.1),Feb2008. Material and specn.as per drg.	147NOS./01	500	33000
			(PL_NO:30557124) Glass Shutter Assembly for Lavatory window FRP TO ICF DRG. NO.ICF/SK 5-5-020, Alt-d, RDSO Specification No. RDSO/2007/CG-02 (Rev.1),Feb2008. Material and specn.as per drg.	197NOS./01		
			(PL_NO:30557124) Glass Shutter Assembly for Lavatory window FRP TO ICF DRG. NO.ICF/SK 5-5-020, Alt-d, RDSO Specification No. RDSO/2007/CG-02 (Rev.1),Feb2008. Material and specn.as per drg.	1580NOS./01		

Sr.No	Tender No	Tender Opening Date	Description	QTY	Tender Cost	Emd Amount
15	04141350	30-OCT-14	(PL_NO:42115887) Battery operated LED based torch light cum flashing hand signal lamp as per RDSO specification No. RDSO/SPN/195/2008 Rev-2.2.	5865NOS./01	1500	60900
16	05147087	30-OCT-14	(PL_NO:5611N1) Cable PVC insulated armoured unscreened power cable 2 Core X 25 sq mm as per specification NO. IRS-S-63/2007 (Amendment.3) and IS:1554 (Part-I) with latest Amendment.	2KM/23	500	22400
			(PL_NO:5611N3) Cable PVC insulated armoured unscreened power cable 2 Core X 25 sq mm as per specification NO. IRS-S-63/2007 (Amendment.3) and IS:1554 (Part-I) with latest Amendment.	7KM/23		
			(PL_NO:5611N2) Cable PVC insulated armoured unscreened power cable 2 Core X 25 sq mm as per specification NO. IRS-S-63/2007 (Amendment.3) and IS:1554 (Part-I) with latest Amendment.	1KM/23		
17	02141865	31-OCT-14	(PL_NO:29040012) set of Dampers for WAG-9 Locos(4 items) 1)Axle Damper-8 Nos 2)Vertical Damper-04 nos 3) Horizontal Damper-04 nos 4)Yaw Damper-04 Nos as per CLW Drg.no.Drg./Specn.CLW/MS/3/009,alt.2 & Drg.No.1209-01-215-014,ref.1 to 4 Alt.latest.	8SET/03	500	54900
18	04141885	31-OCT-14	(PL_NO:45170320) BATTERY FOR AIR CONDITIONING 2 VOLT 1100 AH VRLA FOR AC COACHES CONFORMING TO RDSO SPECN.NO. RDSO/PE/SPEC/AC/0009- 2008 REV.1 WITH AMNDT.NO.1 COMPLETE WITH INTERCELL, INTER UNIT AND END CELL CONNECTORS & fasteners etc.The Inter unit connectors and End cell connectors conforming to RDSO specn.No. SPEC/E-14/01 Part.1 Rev-II-1993 with amndt.no. 1 to 4 Note: One set consists of 56 Cells.	13SET/03	1500	314300
19	02141485	03-NOV-14	(PL_NO:25948465) Set of Axle bearing assly (P.E) as per CLW's Specn. No. 4TMS.092.079 (Normal size)and RDSO's Drg. No. SKDL-2765 (Under size):- Normal Size = 8 Pairs, Ist Step size=48 Pairs, 2nd Step Size = 30 Pairs, 3rd Step Size = 12 Pairs (i.e.Total = 98 Pairs).	98PAIRS/02	1500	79300

Sr.No	Tender No	Tender Opening Date	Description	QTY	Tender Cost	Emd Amount
20	07141220	03-NOV-14	(PL_NO:83049400) Plain Copier Paper, Size: 210 mm X 297 mm,: A4, GSM 75, 500 sheets a Ream, Wt. 2.34 Kg. per Ream, Thickness: 100 microns, confirming to IS: 14490/97 reaffirmed 2005 with amendment No. 1 to 4.	13550REAM/08	1500	76600
			(PL_NO:83049400) Plain Copier Paper, Size: 210 mm X 297 mm,: A4, GSM 75, 500 sheets a Ream, Wt. 2.34 Kg. per Ream, Thickness: 100 microns, confirming to IS: 14490/97 reaffirmed 2005 with amendment No. 1 to 4.	3320REAM/08		
			(PL_NO:83049400) Plain Copier Paper, Size: 210 mm X 297 mm,: A4, GSM 75, 500 sheets a Ream, Wt. 2.34 Kg. per Ream, Thickness: 100 microns, confirming to IS: 14490/97 reaffirmed 2005 with amendment No. 1 to 4.	5920REAM/08		
21	03142008	04-NOV-14	(PL_NO:38450811) Modified Door Mediator arrangement for BOXN Wagon to SECR Sketch No. WRS-1300 , Alt-1,Material specification as per drawing.	2402NOS./01	2500	500000
			(PL_NO:38450811) Modified Door Mediator arrangement for BOXN Wagon to SECR Sketch No. WRS-1300 , Alt-1,Material specification as per drawing.	6249NOS./01		

railway reserves the right to issue any corrigendum to the tenders. Complete details available at www.ireps.gov.in and www.secr.gov.in, In case of any discrepancy between the tender document downloaded from internet and the master copy available in the office, the latter shall prevail and will be binding on the tenderer(s)NO claim on this account will be entertained. For any clarification related to'e'-procurement, tenderers are requested to contact Dy.CMM-IT or AMM-IC at phone Nos:-07752-415302, 07752-411349.

Controller of Stores
S.E.C.Railway/Bilaspur