

SOUTH EAST CENTRAL RAILWAY



Office of the
Chief Commercial Manager
Bilaspur 495004 (C.G)

Rates Circular No.110(G)/2017

No.C/SECR/BSP/Other Rly./Rates(G)/Cir./ 3121

Date:15.06 .2017

All Station Managers & Superintendents, Goods Supervisors, Goods Clerks & Siding Clerks, Weigh Bridge Clerks. All CCIs, CIs of SECR.

Copy for information and necessary action to:

DRM: SECR/BSP, NGP, RAIPUR.

Sr. DCMs, Serfdoms: SECR/NGP, BSP, RAIPUR. Commercial Control: SECR/BSP:

ARMs: SECR/BIA, KRBA, SDL, BRJN. Principal Director of Audit/SEC Railway/Bilaspur.

FA&CAO, COM, CFTM, CME, CE, CEE, SDGM and CPRO: SECR/BSP.

FA&CAO(T), Dy.FA&CAO(T), Sr. AFA(TA): SECR/BSP.

CCM: E.Rly-Kolkata, N.Rly-New Delhi, S.Rly-Chennai, W.Rly-CCG/Mumbai, C.Rly-CSTM/Mumbai, N.F.Rly-Maligaon, N.E.Rly-Gorakhpur, N.C.Rly-Allahabad, E.Co.Rly-Bhubaneswar, W.C.Rly-Jabalpur, N.W.Rly-Jaipur, S.W.Rly-Hubli, E.C.Rly-Hazipur, S.E.Rly-Kolkata, S.C.Rly-Secunderabad.

CONCOR/IISCO House, 50, Jawahar Lal Nehru Road, Kolkata.

GM,CAO (FOIS) & OCC(CRIS), Center for Railway Information System Chanakyapuri, New Delhi-110021

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

EDRM, Railway Board, Eastern Railway House, 17, N.S. Road, Kolkata-01

North Western Railway

1. Sub :Opening of Nathdwara (NDT) station for outward goods traffic.

Ref: CCM/N.W.Rly's letter No. C-498/3/1/AII/Vol.II dt.17.05.17(TRC(Goods) No.16 of 2017).

The competent authority has approved opening of Nathdwara (NDT) station of Ajmer division for inward and outward goods traffic handling for crane consignment for a period of 5 years with immediate effect.

Nodal point of this station for issuing TMS Generated RRs will be Ranapratap Nagar station of Ajmer division.

2. Sub : Closure of Bhilwara (BHL) goods sheds for goods traffic .

Ref: CCM/N.W.Rly's letter No. C-498/3/AII/Vol.I dt.17.05.17(TRC(Goods) No.14of 2017).

The competent authority has approved closure of Bhilwara (BHL) goods sheds of Ajmer division for goods traffic with immediate effect.

Contd..2..

3. Sub : Opening of BAP (BAF) station for outward goods traffic.

Ref: CCM/N.W.Rly's letter No. C-498/4/BKN/Vol.I dt. 09.5.2017 (TRC (Goods) No.11of 2017).

The competent authority has approved opening of BAP(BAF) station of Bikaner division for outward goods traffic of salt for a period of 3 months on experimental basis with immediate effect.

Nodal point of this station for issuing TMS generated RRs will be Lalgah (LGH) station of Bikaner division.

North East Frontier Railway

4. Sub : Opening of Changrabandha station under APDJ division & Mathabhanga station under APDJ division .

Ref: CCM/N.F.Rly's letter No. C/407/RD-109/PtXIII/ APDJ dt. 25.5.17 (R.C. General No. 42 of 2017).

With immediate effect (1) Changrabandha (A/code: CBD) station under APDJ division is open for inward booking of all goods traffic except coal, POL, live stock, explosive & crane consignment till further order observing all extant commercial formalities and safety rules. (2) Mathabhanga (A/code: MHBA) station under APDJ division is open for both outward and inward all goods traffic except coal, POL, live stock, explosive & crane consignment till further order observing all extant commercial formalities and safety rules . This issues with the approval of COM & CCM/NFR.

West Central Railway

5. Sub : Temporary opening of Maihar Goods shed (MYR) for unloading of coal. .

Ref: CCM/W.C.Rly's letter No. पमरे/मुख्या/वा/मा-423/माल गोदाम खोलना दिनांक 25.05.17
(अग्रिम दर अधिसूचना कं 51वर्ष 2017(माल भाडा)

Maihar goods shed located on KTE-STA section of Jabalpur division of west central railway (alfa code-MYR and Numerical code-16223384) is hereby notified as opened for inward traffic of coal as full rake point on temporary basis with immediate effect.

Working hours of Maihar goods shed is notified as "round the clock".

These instructions will remain valid up to 24.05.2018 subject to completion of all commercial formalities.

All concerned to note and act accordingly.



(S.M.Gondane)

Dy. Chief Commercial Manager (FS)
For Chief Commercial Manager