

**Form – IV**  
**(SEE RULE 13)**  
**ANNUAL REPORT**

**(To be submitted to the prescribed Authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBMWTF)**

1. Particulars of the Occupier
- (i) Name of the authorised person (occupier or operator of facility) : Dr. Biswajit Chakrabarty  
MEDICAL DIRECTOR
  - (ii) Address for Correspondence : SEC Railway, Bilaspur (C.G.) 495004
  - (iii) Address of Facility : MEDICAL DIRECTOR  
CENTRAL HOSPITAL, SEC RAILWAY,  
BILASPUR (C.G.) – 495 004
  - (iv) Tel. No., Fax No. : Phone No. 07752-247076, 243812, FAX No. 07752-242678
  - (v) E-mail ID : md 140911@yahoo.com
  - (vi) URL of website : --
  - (vii) GPS coordinates of HCF or CBMWTF : --
  - (ix) Ownership of HCF or CBMWTF : (State Government or Private or Semi Govt. or any other)  
**Central Government**
  - (x) Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules : Authorisation No. –47 Dtd: 06.10.05 issued vide CGECB/ Raipur No. 1879/ BMW/ HQ/ CECB/ 2005 Dtd: 06.10.2005, valid up to 05.10.2020. (Renewal after 05.10.2020 has been applied)
  - (xi) Status of Consent under Water Act and Air Act : Valid up to ..... Not Available
2. Type of Health Care Facility
- (i) Bedded Hospital : No. of Beds: **150**
  - (ii) Non-Bedded hospital (clinic or Blood bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other) : Not Applicable
  - (iii) License number and its date of expiry : Not Applicable as run by **Central Government**
3. Details of CBMWTF
- (i) Number healthcare facilities covered by CBMWTF : **Not applicable**
  - (ii) No. of beds covered by CBMWTF : M/s Envirocare International has been entrusted for treatment of Bio-medical waste which is generated & segregated at Central Hospital/SEC Rly./Bilaspur  
: 150
  - (iii) Installed treatment and disposal capacity of CBMWTF : 4.00 Kg per day (Handed over to M/s Envirocare Chhattisgarh/ Bilaspur)
  - (iv) Quantity of bio-medical waste treated or disposed by CBMWTF : 4.00 Kg per day (Handed over to M/s Envirocare Chhattisgarh/ Bilaspur)
4. Quantity of waste generated or disposed in Kg per annum (on monthly average basis)
- Yellow Category: 1494 kg
  - Red Category: 1382 kg
  - Blue Category: 1044 kg
  - White Category : 138 kg
  - General Solid Waste: 410 kg

5. Details of the Storage, treatment, transportation, processing and Disposal Facility
- (i) Details of the on-site storage facility
- Not Applicable as Transportation, treatment and disposal of BMSW is outsourced with authorised agency**
- : Size:
- Capacity:
- Provision of on-site storage: (Cold storage or any other provision)
- (ii) Disposal facilities
- : Type of treatment equipment
- | No. of units                            | Capacity kg/day | Quantity treated or disposed in Kg per annum |
|---|-----------------|--|
| Incinerators: 0                         |                 |  |
| Plasma Pyrolysis: 0                     |                 |  |
| Autoclaves: 0                           |                 |  |
| Microwave: 0                            |                 |  |
| Hydroclave: 0                           |                 |  |
| Shredder: 0                             |                 |  |
| Needle tip cutter or destroyer: 0       |                 |  |
| Sharps encapsulation or Concrete pit: 0 |                 |  |
| Deep burial pits: 0                     |                 |  |
| Chemical disinfection: 0                |                 |  |
| Any other treatment equipment: 0        |                 |  |
- (iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum
- : Not Applicable
- (iv) No. of vehicles used for collection and transportation of bio-medical waste
- : Vehicle used by authorised agency
- (v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum
- : Not Applicable
- (vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of
- Not Applicable
- (vii) List of member HCF not handled over Bio-Medical waste.
- Not Applicable
6. Do you have bio-medical waste management committee? If yes, attach minutes of the meeting held during the reporting period.
- No

- |     |   |                                      |
|-----|---|--------------------------------------|
| 7.  | Details training conducted on BMW   | :                                    |
|     | (i) Number of trainings conducted on BMW Management   | 12                                   |
|     | (ii) Number of personnel trained  | 160                                  |
|     | (iii) Number of personnel trained at the time of induction  | 160                                  |
|     | (iv) Number of personnel not undergone any training so far  | 0                                    |
|     | (v) Whether standard manual for training is available?  | Yes                                  |
|     | (vi) Any other information:   | No                                   |
| 8.  | Details of the accident occurred during the year  | Nil                                  |
|     | (i) Number of accidents occurred  | 0                                    |
|     | (ii) Number of the persons affected   | 0                                    |
|     | (iii) Remedial Action taken (Please attach details if any)  | 0                                    |
|     | (iv) Any Fatality occurred, details:  | 0                                    |
| 9.  | Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?     | Not Applicable                       |
|     | Details of conditions online emission monitoring systems installed  | Not Applicable                       |
| 10. | Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?                   | Liquid Waste Plant installed.<br>Nil |
| 11. | Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year? | Nil                                  |

::4::

12 Any other relevant information

- : (Air pollution Control Devices attached with the Incinerator)
1. Training to all hospital staff (technical and supportive) is imparted from time to time including to medical officers. All Hospital Staff & Doctors have been immunised against Tetatus & Hepatitis B.
  2. Solid Waste disposal by authorised private agency M/s Envirocare International (C.G.)
  3. Liquid Waste treatment plant is functioning with the outsourced maintenance by M/s Axiom India, 201, Saidham complex, Torwa, Bilaspur (C.G.)

Certified that the above reports is : January – 2019 to December – 2019  
for the period from

Date:

Place: Bilaspur



*Dp23/2*  
(Dr. B. Chakrabarty)  
Medical Director  
Central Hospital  
SEC Railway, Bilaspur