

Suitability test for the post of Sr. Clerk against 66 ²/₃% DPQ in Level-5 (GP. 2800) of Mechanical Department. Date of Exam 04.04.2024

Q.NO.	ANS.	Q.NO.	ANS.	Q.NO.	ANS.
1	D	41	C	81	D
2	C	42	D	82	A
3	C	43	A	83	B
4	D	44	D	84	A
5	A	45	B	85	D
6	B	46	A	86	D
7	B	47	C	87	C
8	A	48	D	88	C
9	B	49	D	89	B
10	A	50	C	90	B
11	D	51	C	91	D
12	A	52	C	92	A
13	D	53	A	93	D
14	C	54	A	94	D
15	A	55	A	95	C
16	A	56	B	96	B
17	B	57	A	97	B
18	D	58	B	98	C
19	B	59	C	99	B
20	C	60	C	100	A
21	B	61	D	101	D
22	C	62	D	102	C
23	C	63	C	103	D
24	A	64	A	104	D
25	B	65	A	105	A
26	C	66	A	106	D
27	B	67	D	107	B
28	A	68	D	108	A
29	B	69	A	109	C
30	C	70	B	110	C
31	A	71	C		
32	C	72	D		
33	C	73	A		
34	D	74	C		
35	A	75	B		
36	C	76	A		
37	A	77	A		
38	B	78	C		
39	A	79	B		
40	A	80	A		